

# Pallid Harrier

*Circus macrourus*

212 plots from 492 records

- Virgin Yellow-vented Bulbul squares **33**
- Single YvB month **32**
- Two YvB months **30**

	Seasonality	
	presence	bs eggs
January	107	-
February	91	-
March	56	-
April	28	-
May	2	-
June	3	-
July	4	-
August	3	-
September	7	-
October	32	-
November	62	-
December	97	-

## Status

- Presence
- Breeding season
- Month with eggs

## Elevation (m)

- 1 - 300
- 300 - 500
- 500 - 700
- 700 - 900
- 900 - 1,100
- 1,100 - 1,300
- 1,300 - 1,500
- 1,500 - 1,700
- 1,700 - 1,900
- >1,900

This map shows well the highland grassland favoured by this species in its winter quarters. A Globally Threatened species largely due to degradation of its breeding grounds it is seemingly far less common in Tanzania than in previous decades.


All records of adult males should be submitted to the Atlas and / or the email group.

with support from  
THE LEVERHULME TRUST

**Tanzania Bird Atlas**  
**Preliminary Map**  
**January 2005**  
**From 653,800**  
**Database records**

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records within each square



29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°