

Black-fronted Bush Shrike

Malaconotus nigrifrons

176 plots from 440 records

Virgin Yellow-vented Bulbul squares **12**

Single YvB month **21**

Two YvB months **24**

	Seasonality		
	presence	bs	eggs
January	30	1	-
February	47	1	-
March	19	-	-
April	15	1	-
May	29	-	-
June	35	-	-
July	48	-	-
August	28	-	-
September	37	-	-
October	48	1	-
November	56	3	-
December	29	4	-
month 13	8		


Status

- Presence
- Breeding season
- Month with eggs

30m SRTM

- 850 - 900
- 900 - 950
- 950 - 1,000
- 1,000 - 1,050
- 1,050 - 1,100
- 1,100 - 1,200
- 1,200 - 1,300
- 1,300 - 1,400
- 1,400 - 1,500
- 1,500 - 1,600
- 1,600 - 1,700
- 1,700 - 1,800
- 1,800 - 1,900
- 1,900 - 2,000
- 2,000 - 2,100
- 2,100 - 2,200
- 2,200 - 2,300
- 2,300 - 2,400
- 2,400 - 2,500

A bird of highland forest, the record from the Selous is an ID error and will be removed. The record from coastal forest at 900m on the Rondo Plateau appears to be the first from that locality. It is resident and will occur in every month in every locality for which it is known.



Tanzania Bird Atlas
Preliminary Map
September 2009
From 862,509
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records
within each square