

Four-coloured Bush Shrike

Malaconotus quadricolor

103 plots plots from 209 records

Virgin Yellow-vented Bulbul squares **12**

Single YvB month **21**

Two YvB months **24**

Seasonality

	presence	bs	eggs
January	12	3	-
February	16	6	-
March	26	1	-
April	11	-	-
May	13	1	-
June	11	-	-
July	28	-	-
August	10	1	-
September	17	-	-
October	19	-	-
November	14	1	-
December	13	3	3

A bird of coastal forest and moist thickets with populations in the foothills of the Eastern Arc mts. The odd record from low altitude remnant forest / thicket in the Usambara and Pare mts and those birds at 1350m on SW Kilimanjaro are indicative of long lost lowland forest habitat. It should be more common along the foothills of the Udzungwa mts than suggested here.


A secretive difficult to see bird but with a loud distinctive call. It is surely resident wherever it is found.

Status

- Presence
- Breeding season
- Month with eggs

30m SRTM

- 0 - 100
- 100 - 200
- 200 - 300
- 300 - 400
- 400 - 450
- 450 - 500
- 500 - 550
- 550 - 600
- 600 - 650
- 650 - 700
- 700 - 750
- 750 - 800
- 800 - 850
- 850 - 900
- 900 - 950
- 950 - 1,000
- 1,000 - 1,050
- 1,050 - 1,100
- 1,100 - 1,200
- 1,200 - 1,300
- 1,300 - 1,400
- 1,400 - 1,500
- 1,500 - 1,600
- 1,600 - 1,700
- 1,700 - 1,800
- 1,800 - 1,900
- 1,900 - 2,000
- 2,000 - 2,100
- 2,100 - 2,200
- 2,200 - 2,300
- 2,300 - 2,400
- 2,400 - 2,500



Tanzania Bird Atlas
Preliminary Map
September 2009
From 862,509
Database records

J F M A
M J J A
S O N D
#

Monthly records
within each square