

Plain-backed Sunbird

Anthreptes reichenowi

47 plots from 140 records

Virgin Yellow-vented Bulbul squares **15**

Single YvB month **30**


Two YvB months **32**

Seasonality
presence bs eggs

Month	presence	bs	eggs
January	13	-	-
February	14	1	-
March	20	1	-
April	6	-	-
May	-	-	-
June	3	-	-
July	19	1	-
August	18	2	-
September	6	-	-
October	16	-	-
November	15	-	-
December	5	-	-

Status

- Presence
- Breeding season
- Month with eggs



This coastal forest and thicket species is represented by two races.

A. r. yokanae in coastal Kenya south to Pande GR in Kinondoni District, Dar es Salaam and nominate birds in the south-east.

It is interesting that neither population occurs in suitable habitat either side of the Rufiji River. The presumably isolated pop to the east of the Uluguru Mts was not discovered until the mid 90s and probably belongs with *yokanae*.

with support from
THE LEVERHULME TRUST

Tanzania Bird Atlas
Preliminary Map
November 2006
From 740,003
Database records

J F M A
M J J A
S O N D
#

Monthly records
within each square

29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°

-1°
-2°
-3°
-4°
-5°
-6°
-7°
-8°
-9°
-10°
-11°