

Mariqua Sunbird

Nectarinia mariquensis

551 plots from 1,135 records

Virgin Yellow-vented Bulbul squares **15**

Single YvB month **30**

Two YvB months **32**

Seasonality
presence bs eggs


Month	presence	bs	eggs
January	93	8	3
February	88	1	4
March	84	2	2
April	76	7	4
May	57	1	3
June	81	2	2
July	121	4	2
August	93	4	-
September	89	4	1
October	100	2	-
November	101	1	2
December	83	3	7

Status

- Presence
- Breeding season
- Month with eggs

Britton (1980) considered the status of this species in eastern Tanzania "as uncertain". There are so few records mapped here that confusion with Purple-banded *N. bifasciata* cannot be ruled out in some (most !!) cases.

Great care should be taken when claiming this bird in the coastal lowlands and that includes the Selous GR and Mikumi NP. All 3 records from Mikumi are from relatively inexperienced birders and all 6 from the SE are from only 2 relatively inexperienced observers. All are retained for the time being.



with support from
THE LEVERHULME TRUST

Tanzania Bird Atlas
Preliminary Map
November 2006
From 740,003
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records
within each square

29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°

-1°
-2°
-3°
-4°
-5°
-6°
-7°
-8°
-9°
-10°
-11°