

Shelley's Sunbird

Nectarinia shelleyi

69 plots from 160 records

Virgin Yellow-vented Bulbul squares **15**

Single YvB month **30**

Two YvB months **32**

Seasonality
presence bs eggs

Month	presence	bs	eggs
January	15	1	-
February	6	-	1
March	12	-	-
April	6	-	1
May	6	-	-
June	16	-	-
July	28	-	-
August	15	-	-
September	16	-	-
October	14	1	-
November	11	-	-
December	9	1	-

Status

- Presence
- Breeding season
- Month with eggs

Britton (1980) considers birds in the Songea area as nominate and those centred on Mikumi NP and Morogoro as the small endemic race *N. s. hofmanni*. This race may be elevated to specific status in the future.

The south-western reaches of the Selous GR are ornithologically unknown. Either, or even both, of these "races" could occur in this area.

These 3 records from the western Miombo are represented by a specimen from 1926 housed in the Field Museum and sightings by very experienced observers. All 3 require careful clarification before they are accepted.


Curiously they are all October records.

with support from
THE LEVERHULME TRUST

Tanzania Bird Atlas
Preliminary Map
November 2006
From 740,003
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records
within each square



29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°