

# Tawny Eagle

*Aquila rapax*

671 plots from 2,048 records

Virgin Yellow-vented Bulbul squares **33**

Single YvB month **34**

Two YvB months **30**

### Seasonality

	presence	bs	eggs
January	217	6	1
February	188	2	-
March	150	2	3
April	130	-	1
May	85	7	4
June	144	5	7
July	167	8	2
August	195	11	1
September	151	4	1
October	158	3	-
November	180	1	-
December	210	3	-

	presence	bs	eggs
January	217	6	1
February	188	2	-
March	150	2	3
April	130	-	1
May	85	7	4
June	144	5	7
July	167	8	2
August	195	11	1
September	151	4	1
October	158	3	-
November	180	1	-
December	210	3	-

### Status

- Presence
- Breeding season
- Month with eggs

### Elevation (m)

- 1 - 300
- 300 - 500
- 500 - 700
- 700 - 900
- 900 - 1,100
- 1,100 - 1,300
- 1,300 - 1,500
- 1,500 - 1,700
- 1,700 - 1,900
- >1,900


Still common and widespread within its core range but now rare in intensely cultivated areas and generally uncommon to absent within the Miombo woodlands. The paucity of records from many Game Reserves reflects poor coverage.

with support from  
THE LEVERHULME TRUST

**Tanzania Bird Atlas**  
**Preliminary Map**  
**December 2004**  
**From 651,000**  
**Database records**

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records  
within each square



29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°