



It's quite possible that a few of these odd records away from core areas are ID errors for Harlequin Quail.

We would not expect this bird in Mkomazi GR, Moyowosi or Ruaha NP.

A bird of the highlands. Breeding as low as 1300m on the SW slopes of Kilimanjaro on farmland below the forest belt where it was resident but difficult to detect when not calling.

Common Quail

Coturnix coturnix

114 plots from 186 records

- Virgin Yellow-vented Bulbul squares 13
- Single YvB month 25
- Two YvB months 28

Seasonality

	presence	bs	eggs
January	22	1	-
February	25	-	-
March	14	1	-
April	19	2	-
May	11	4	-
June	16	1	-
July	11	-	-
August	9	-	-
September	13	1	-
October	10	-	-
November	8	-	-
December	18	-	-

Status

- Presence
- Breeding season
- Month with eggs

Elevation (m)

- VALUE**
- 1 - 300
 - 300 - 500
 - 500 - 700
 - 700 - 900
 - 900 - 1,100
 - 1,100 - 1,300
 - 1,300 - 1,500
 - 1,500 - 1,700
 - 1,700 - 1,900
 - >1,900

Tanzania Bird Atlas
Preliminary Map
May 2008
From 807,213
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records
within each square