

Long-toed Plover

Vanellus crassirostris

197 plots from 423 records

Virgin Yellow-vented Bulbul squares **14**

Single YvB month **30**


Two YvB months **31**

Seasonality
presence bs eggs

Month	presence	bs	eggs
January	66	-	1
February	53	1	-
March	31	-	-
April	15	-	-
May	9	-	-
June	20	-	1
July	34	-	2
August	38	1	-
September	36	2	-
October	48	1	-
November	23	-	-
December	38	-	1
month 13	2		

Status

- Presence
- Breeding season
- Month with eggs



with support from
THE LEVERHULME TRUST

Tanzania Bird Atlas
Preliminary Map
January 2007
From 751,930
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records
within each square

Britton (1980) considers all birds as nominate.
BoA mentions intergrades with the southern race *leucopterus* for Tanzania but does not give locations.
Wetlands International include southern Tanzania in their range for *leucopterus*.

There is a quite recent record from Lake Manyara of a white-winged bird resembling *leucopterus* but we do not know the northern limits of this race.

Which race is in Katavi ? any photographic evidence ?

29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°