

# Spotted Redshank

*Tringa erythrops*

79 plots from 160 records

Virgin Yellow-vented Bulbul squares **13**

Single YvB month **25**

Two YvB months **28**

Seasonality  
presence bs eggs


January	55	-	-
February	22	-	-
March	17	-	-
April	14	-	-
May	2	-	-
June	-	-	-
July	4	-	-
August	2	-	-
September	2	-	-
October	4	-	-
November	9	-	-
December	27	-	-
month 13	2	-	-

## status

● Presence

## Elevation (m)

- 1 - 300
- 300 - 500
- 500 - 700
- 700 - 900
- 900 - 1,100
- 1,100 - 1,300
- 1,300 - 1,500
- 1,500 - 1,700
- 1,700 - 1,900
- >1,900



Tanzania Bird Atlas  
Preliminary Map  
June 2008  
From 809,297  
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records  
within each square

Tanzania is at the southern limits of the non-breeding range of this species. It is not at all common and numbers will fluctuate year on year depending on habitat availability to the north.

Only 82 birds were counted in Jan1995 and 77 in Jan 2005. Very few, if any, sites will meet the minimum count of 42 birds to be mapped in the Wader Atlas.