

Rosy-breasted Longclaw

Macronyx ameliae

113 plots from 247 records

Virgin Yellow-vented Bulbul squares **14**

Single YvB month **30**

Two YvB months **31**

Seasonality
presence bs eggs

Month	presence	bs	eggs
January	35	1	-
February	46	-	-
March	24	1	-
April	19	3	-
May	24	-	2
June	20	-	1
July	14	-	1
August	15	-	-
September	6	-	-
October	6	-	-
November	10	2	-
December	16	1	-

The race *M. a. wintoni* is locally common at a few sites in northern Tanzania but quite rare on the periphery of these core areas. Birds in Kigosi GR belong here and it may still occur in suitable habitat between these populations, especially in long grass on the Wembere Steppe.

The race *M. a. altanus* is very local and uncommon in the Southern Highlands and on the Ufipa Plateau.

Status

- Presence
- Breeding season
- Month with eggs

Elevation (m)

- 1 - 300
- 300 - 500
- 500 - 700
- 700 - 900
- 900 - 1,100
- 1,100 - 1,300
- 1,300 - 1,500
- 1,500 - 1,700
- 1,700 - 1,900
- >1,900

with support from
THE LEVERHULME TRUST

Tanzania Bird Atlas
Preliminary Map
June 2007
From 762,609
Database records

J	F	M	A
M	J	J	A
S	O	N	D
#	#	#	#

Monthly records
within each square

29° 30° 31° 32° 33° 34° 35° 36° 37° 38° 39° 40° 41°

-1°
-2°
-3°
-4°
-5°
-6°
-7°
-8°
-9°
-10°
-11°